



## Precision torque testing instrument with dial indicator and drag indicator

**Article No.:** 516.3410

**EAN:** 4042146284339

**Promotional price:** €1,571.00 \*

### Description

- display accuracy:
- precise reading accuracy for a minimum 5.000 tightening cycles
- for controlled display in a clockwise and counter clockwise direction
- for testing, measuring, checking and making adjustments
- display torque testing instrument with drag indicator
- large vision panel for precise adjustment
- tool mounting using a three jaw chuck
- individually marked with serial number - unique product identification
- including calibration declaration of conformity according to DIN EN ISO 6789:2017(E) - traceable to national standards

### Properties

|                              |                              |
|------------------------------|------------------------------|
| <b>Actuation accuracy:</b>   | +/-6%                        |
| <b>Chuck Ø mm:</b>           | 1-8,5                        |
| <b>Construction:</b>         | other                        |
| <b>Division cNm:</b>         | 0.2                          |
| <b>Function attribute 1:</b> | with drag indicator function |
| <b>Measuring range cNm:</b>  | 1-15                         |
| <b>No returns allowed:</b>   | Yes                          |
| <b>Norm:</b>                 | DIN EN ISO 6789-1:2017(E)    |
| <b>Packaging height, mm:</b> | 85                           |
| <b>Packaging length, mm:</b> | 220                          |
| <b>Packaging width, mm:</b>  | 270                          |
| <b>Readout:</b>              | scale                        |
| <b>Tool holder torque:</b>   | other                        |
| <b>Total length L in mm:</b> | 102.0                        |
| <b>Weight [g]:</b>           | 600                          |

