

**1/2" ERGOTORQUE® precision torque wrench with reversible ratchet head, 40-200Nm, red****Article No.:** 516.6542**EAN:** 4042146708057**Promotional price:** €99.00 \*

## Description

- actuation accuracy:
- precise reading accuracy for a minimum 5.000 tightening cycles
- for controlled fastening in a clockwise direction
- can untighten without any torque restraint thanks to the anticlockwise latch
- double scale in Nm and lbf·ft divisions for precise adjustment
- includes micrometer scale in Nm divisions for precise and fine adjustment
- large vision panel, precise adjustment using a magnifying glass
- an audible and palpable signal when the desired torque value is achieved
- with exact gearing 36 teeth ratchet mechanism
- with ejection mechanism on the ratchet head
- torque setting is quick and easy using the locking knob in the handle end
- secure locking function within the handle
- two component handle with a soft zone, is ergonomic in design and comfortable in the hand
- square drive adaptor to DIN 3120 / ISO 1174 with ball lock
- individually marked with serial number - unique product identification
- including calibration declaration of conformity according to DIN EN ISO 6789:2017(E) - traceable to national standards

## Properties

<b>Actuation accuracy:</b>	+/-3%
<b>Construction:</b>	one-armed lever
<b>Coverage in Lbf-ft:</b>	15 - 150
<b>Coverage in NM:</b>	40-200
<b>Diameter D:</b>	45.0
<b>Division Nm:</b>	1.0
<b>Drive in inch:</b>	1/2"
<b>Function attribute 1:</b>	with quick lock function
<b>Handle:</b>	2 component handle
<b>No returns allowed:</b>	Yes
<b>Norm:</b>	DIN 3120, ISO 1174, DIN EN ISO 6789-1:2017(E)
<b>Packaging contents:</b>	1
<b>Packaging height, mm:</b>	65
<b>Packaging length, mm:</b>	525
<b>Packaging width, mm:</b>	62
<b>Readout:</b>	scale
<b>Tool holder torque:</b>	ratchet
<b>Tooth:</b>	36
<b>Total length L in mm:</b>	500.0
<b>Weight [g]:</b>	1300
<b>height H:</b>	23.0



