

Angled die grinder, 18000 rpm

Article No.: 515.5420
 EAN: 4042146756294
 Promotional price: €144.50 *




Description




- angled design
- vibration dampened
- cold insulated handle
- includes 1/4" coupling connector
- for one handed operation with ergonomic design
- stepless speed regulation
- air exhaust through the handle
- ultra light robust housing special plastic
- for working in hard to access areas
- for HM mills, mini cutting discs and grinding heads with a 6 mm shaft
- ideal for grinding, polishing and engraving work
- number of revolutions adjustable through regulating screw



















Properties

















Air consumption in l/min:	350
Angle size mm:	80
Capacity Watt:	370 Watt
Chuck:	6
Connection thread:	1/4"NPT
Form:	angled
Function attribute 1:	safety locking device
Measuring uncertainty vibration acceleration:	0.93
No Load current rpm:	18000
Noise performance level (dbA):	101
Noise pressure level (dbA):	90.0
Norm:	DIN EN ISO 28927-12
Operating Mode:	pneumatic
Operating pressure in bar:	max. 6,3 bar (90 psi)
Packaging contents:	1
Packaging height, mm:	55
Packaging length, mm:	223
Packaging width, mm:	87
Total length L in mm:	200.0
Vibration acceleration:	< 4,4
Weight [g]:	780
Width B:	85.0
min. Tube diameter:	3/8" - 10 mm



Spare parts

Article No.	Quantity	Article	RRP: (ex. VAT)
515.5410-R003P	1 x	 Collet	€11.39 *
515.5410-R007P	2 x	 Ball bearing	€15.93 *
515.5410-R009P	2 x	 Steel ball	€1.09 *

515.5410-R010P	1 x		Cylinder	€20.33 *
515.5410-R011P	1 x		Rotor collar	€1.50 *
515.5410-R012P	1 x		Rotor	€24.33 *
515.5410-R013P	4 x		Rotor blade	€2.04 *
515.5410-R014P	1 x		Spring pin	€0.97 *
515.5410-R015P	1 x		Rear end plate	€12.19 *
515.5410-R016P	1 x		Ball bearing	€15.40 *
515.5410-R017P	1 x		Motor housing	€60.82 *
515.5410-R018P	1 x		Throttle valve bushing	€4.58 *
515.5410-R019P	1 x		O-ring	€0.97 *
515.5410-R020P	2 x		O-ring	€0.97 *
515.5410-R021P	1 x		Throttle valve	€4.58 *
515.5410-R022P	1 x		Throttle valve spring	€1.36 *
515.5410-R023P	1 x		Air regulator	€4.58 *
515.5410-R024P	1 x		O-ring	€0.97 *
515.5410-R025P	1 x		O-ring	€0.97 *
515.5410-R026P	1 x		Valve screw	€4.58 *
515.5410-R027P	1 x		Throttle lever	€6.58 *

515.5410-R028P	1 x		Throttle lever pin	€0.97 *
515.5410-R029P	1 x		O-ring	€1.36 *
515.5410-R030P	1 x		Exhaust deflector	€4.02 *
515.5410-R031P	1 x		O-ring	€0.97 *
515.5410-R032P	1 x		Air inlet	€10.17 *
515.5420-R001P	1 x		Collet nut	€14.33 *
515.5420-R002P	1 x		Spindle	€32.36 *
515.5420-R003P	1 x		Shaft	€1.77 *
515.5420-R004P	1 x		Clamp nut	€11.39 *
515.5420-R005P	1 x		Block	€10.17 *
515.5420-R006P	1 x		Spindle gear	€36.36 *
515.5420-R007P	1 x		Ball bearing	€15.40 *
515.5420-R008P	1 x		Angle head housing	€36.36 *
515.5420-R009P	1 x		Lock button	€20.33 *
515.5420-R010P	1 x		Housing cap	€18.34 *
515.5420-R011P	1 x		Pinion gear	€36.36 *
515.5420-R012P	1 x		Washer	€9.11 *
515.5420-R013P	1 x		Front end plate	€13.39 *

515.5420-R014P

1 x



Spanner

€4.58 *