

  


## efuturo charging cable straight, end open to Type 1 plug for connection to a wallbox, 1-phase, up to 7.4 kW, 32 A, 230 V, Mode 3, 5 metres

**Article No.:** 117.7225  
**EAN:** 4042146864784  
**Promotional price:** €185.00 \*

### Description

- connection cable from the charging station to the vehicle
- for electric and hybrid vehicles
- end open – Type 1 (IEC 62196-2)
- up to 7.4 kW charging capacity
- 32 A (single-phase)
- 230 V
- mode 3
- 5 metres cable length
- with overheating protection
- TÜV approved, CE and RoHS certified

With this Mode 3 quality cable you can very rapidly, safely and reliably charge your electric or hybrid vehicle. The integrated overheating protection interrupts the electrical supply in the event of very high heat development and in this way prevents damage to the vehicle battery or the charging station. With a charging capacity of up to 7.4 kW and a cable length of 5 metres, this cable is ideally suited for charging at home at your own wallbox. Thanks to the ergonomically designed plug and the high-quality and durable cable, this charging cable is a reliable partner for charging your electric or hybrid vehicle. The charging plug can be locked on the vehicle. Just lock your car to do this. The plug is then firmly attached to the car and you can relax while you leave the car during the charging process.

### Properties

<b>Amperage:</b>	max. 32 Ampere (1-phase)
<b>Cable color:</b>	black
<b>Cable cross section mm<sup>2</sup>:</b>	3* 6.0 mm <sup>2</sup> + 1* 0.5 mm <sup>2</sup>
<b>Cable form:</b>	straight
<b>Certification:</b>	CE, RoHS
<b>Charging cable length:</b>	5
<b>Charging capacity:</b>	up to 7.4 kW
<b>Communication:</b>	(IEC 62196-2): Mode 3
<b>Coupling cycles:</b>	up to 10,000
<b>Frequency:</b>	50
<b>Mode:</b>	3
<b>Model:</b>	efuturo charging cable straight, end open to Type 1 plug for connection to a wallbox, 1-phase, up to 7.4 kW, 32 A, 230 V, Mode 3, 5 metres
<b>Packaging height, mm:</b>	90
<b>Packaging length, mm:</b>	402
<b>Packaging width, mm:</b>	380
<b>Plug at charging station end:</b>	Open end for connection to wallbox
<b>Plug at vehicle end:</b>	Type 1
<b>Power plug:</b>	Loose cables /screw terminals (04)
<b>Protection class:</b>	IP 54 (with protective cap)
<b>Voltage:</b>	230 V AC
<b>Voltage plug:</b>	230
<b>Working temperature:</b>	- 25° up to + 55°C

