




A	500.8835	12000 N
B	500.8845	24000 N



Pressurised air spring tensioner with double cylinder and base

Article No.: 500.8845

EAN: 4069465011873

Promotional price: €2,879.00 *

Description



- working pressure 1,200 kg by 5 bar, 2,400 kg by 10 bar
- through double cylinder with up to 2,400 kg also suitable for strong springs (transporters, SUV, etc.)
- ideal for tensioning spring feet
- pressurised air support allows for extremely comfortable working
- secure assembly and disassembly of the shock absorbers with McPherson spring feet system
- suitable for 95% of all vehicles on the market
- sturdy foot for optimal stability
- secure and easy to use
- improved robust safety cage to prevent accidents
- special tool steel
- sturdy safety stand to adapt the working height
- simple assembly with straps and screws
- 4-point tubular frame with secure stand

Properties

Air consumption in l/min:	250
Compression force max (kg):	2400
Compression stroke (mm):	450.0
Connection thread:	1/4"
Material1:	special tool steel
Operating pressure max (bar):	10
Packaging contents:	1
Weight [g]:	105000



Consists of

Article No.	Quantity		Article	RRP: (ex. VAT)
500.8831	1 x		Safety stand for pressurised air spring compressor, for 500.8830	€1,224.60 *
500.8840	1 x		Pressurised air spring tensioner with double cylinder	Info: Article cannot be ordered