

**Universal tool set for disassembly/assembly
of axle parts, 24 pcs**

Article No.: 440.9992

EAN: 4042146661475

Promotional price: €1,571.00 *



Description

- ideal set for the assembly and disassembly of axle parts
- universal front-wheel bearing set with combined wheel hub/drive shaft frame
- ideal for the assembly and disassembly of wheel bearings and hubs
- can also be used when disassembling wheel bearings which are removed from the inside
- allows for a flat press surface with 3 installation screws
- ideal for use alongside hydraulic cylinders or mechanical spindles
- for the assembly and disassembly of wheel bearings, hubs and drive shafts directly on the vehicle
- no removal of the ABS sender, axle joint, spring feet or track rod joint
- saves a lot of time since the axle does not need to be measured again
- ideally suited to pressing out rusty and stuck drive shafts
- for all passenger cars and transporters with 4 and 5 hold hubs
- for hole diameters up to 120 mm
- optimal for the disassembly of the wheel hub with a hydraulic cylinder or adapter (440.0119) and the impact hammer (440.0080)
- no damage to the drive shaft or other parts
- secure and easy to use
- special tool steel





Recommended hydraulic cylinder: 16 t (440.0005) and 22 t (440.0010)

Application range / for: Ford C-Max, Mazda 3, Volvo S40/V50, as well as certain models from Citroën, Peugeot, Renault and VAG with separated wheel bearings/hubs

Properties

Material1:	special tool steel
Packaging contents:	1
Packaging height, mm:	258
Packaging length, mm:	524
Packaging width, mm:	439
Parts in the set:	24
Weight [g]:	22620

Consists of

Article No.	Quantity		Article	RRP: (ex. VAT)
440.0075	1 x		Universal wheel bearing drive axle hub set, 16 pcs	€805.50 *
440.0095	1 x		Bearing and hub shell set, 2 pcs	€184.00 *
440.0100	1 x		Adjustable wheel bearing plate	€128.00 *
440.0115	1 x		Drive shaft press out device set, 4 and 5 hole, 2 pcs	€556.00 *