

**ERGOTORQUE® precision fine adjustment
torque wrench with rectangular tool holder**

Article No.: 516.1612

EAN: 4042146231302

Promotional price: €137.50 *



Description

- actuation accuracy:
- precise reading accuracy for a minimum 5.000 tightening cycles
- for controlled fastening in clockwise and counter clockwise directions
- double scale in Nm and lbf•ft divisions for precise adjustment
- includes micrometer scale in Nm divisions for precise and fine adjustment
- large vision panel, precise adjustment using a magnifying glass
- an audible and palpable signal when the desired torque value is achieved
- torque setting is quick and easy using the locking knob in the handle end
- secure locking function within the handle
- two component handle with a soft zone, is ergonomic in design and comfortable in the hand
- snap lock tool holder available for replaceable 9x12 or 14x18 end tools
- individually marked with serial number - unique product identification
- including calibration declaration of conformity according to DIN EN ISO 6789:2017(E) - traceable to national standards

Properties

Actuation accuracy:	+/-3%
Construction:	one-armed lever
Coverage in Lbf-ft:	0,8 - 18
Coverage in NM:	5-25
Division Nm:	0.10
Drive in mm:	9x12
Handle:	2 component handle
Length moment arm Lk in mm:	245,0
Material1:	finest chrome vanadium steel
No returns allowed:	Yes
Norm:	DIN EN ISO 6789-1:2017
Packaging contents:	1
Packaging height, mm:	54
Packaging length, mm:	304
Packaging width, mm:	51
Readout:	scale
Sk in mm:	17,5
Tool holder torque:	exchange tool
Total length L in mm:	280.0
Weight [g]:	300
profile1:	square insert

