

## Industrial torque wrench with plug-in tool holder

Article No.: 516.5061

EAN: 4042146545799

Promotional price: €255.00 \*



## Description

- release accuracy:
- precise reading accuracy for a minimum 5.000 tightening cycles
- use is almost all industrial production areas
- for controlled fastening in clockwise and counter clockwise directions
- double-scale Nm and lbf-ft and/or lbf-in division
- including a micrometre scale in Nm divisions and lbf-ft and/or lbf-in for precise and fine adjustment
- clearly audible and noticeable torque release sign
- setting the torque securely by turning the handle
- secure locking function within the handle
- long service-life and high holding times
- highest precision and reliability even under tough long-term use
- with lock connector for 9x12 and/or 14x18 plug-in tools
- individually marked with serial number - unique product identification
- including calibration declaration of conformity according to DIN EN ISO 6789:2017(E) - traceable to national standards

## Properties

<b>Actuation accuracy:</b>	+/-3%
<b>Construction:</b>	one-armed lever
<b>Coverage in Lbf-In:</b>	31-128
<b>Diameter D:</b>	20.0
<b>Diameter D2:</b>	20
<b>Division Lbf-In:</b>	0.4
<b>Division Nm:</b>	0.1
<b>Drive in mm:</b>	9x12
<b>Handle:</b>	metal handle
<b>Length moment arm Lk in mm:</b>	183
<b>No returns allowed:</b>	Yes
<b>Norm:</b>	DIN EN ISO 6789-1:2017(E)
<b>Packaging contents:</b>	1
<b>Packaging height, mm:</b>	70
<b>Packaging length, mm:</b>	312
<b>Packaging width, mm:</b>	74
<b>Readout:</b>	scale
<b>Sk in mm:</b>	17,5
<b>Tool holder torque:</b>	exchange tool
<b>Total length L in mm:</b>	197
<b>Weight [g]:</b>	260
<b>Working range Nm:</b>	3-15
<b>height H:</b>	15
<b>profile1:</b>	square insert

