

**CHROMEplus® Special spark plug socket,
thin-walled**

Article No.: 918.3990
EAN: 4042146092583
RRP: €9.45 *

Description

- 12 point
- double hexagon profile allows the pickup of hexagon and 12-point spark plugs
- extra slim design
- for spark plugs with platinum electrodes for example Bosch 14 ZR
- with rubber stop for holding the spark plugs
- internal square drive to DIN 3120 / ISO 1174
- for manual operation
- mirror polished
- chrome vanadium

Application range / for: BMW E90 N 54 engine 335i from 2006, 1 Series (F20) 118i

Renault Modus, Twingo, Clio, Kangoo with 1.2 l 16V engine

Peugeot 207, 307

Citroën C4 1.4 and 1.6 l 16V engine, C5 2.0 l HPI engine

Mercedes Motor M156, engine M 276

Nissan Micra, Note

MINI 1.2 - 1.4 l 4 cyl from 2007

FORD 1.0 EcoBoost engine

Alfa 1.8 TBI engine

KIA

Properties

Application in general: for spark plugs

Depth T in mm: 23

Diameter D1: 20

Diameter D2: 18

Drive in inch: 3/8"

Form: thin walled

Function attribute 1: with rubber retention ring

Jaw opening in mm: 14,0

Material1: finest chrome vanadium steel mirror polished finish

Norm: DIN 3120, ISO 1174, ISO 3315, DIN 3124

Packaging contents: 1

Packaging height, mm: 25

Packaging length, mm: 59

Packaging width, mm: 16

Total length L in mm: 65.0

Weight [g]: 75

profil2: metric

profile 3: 12 point

