

Bleed brake systems conveniently – even on Asian vehicles

- **New universal bleed nozzle adapter from KS Tools**
- **Maintain brakes on all Asian vehicles**
- **Quick and simple to use**

Anyone who works on brakes has to bleed the system after servicing. This process does not function equally well on all vehicles, as the extremely common euro adapter does not ensure a good seal in many cases. As a result, dangerous air is left in the brake system. Tool specialist KS Tools, based in Heusenstamm in Hessen, Germany, now has a universal bleed nozzle adapter in its range to solve this problem. KS Tools is currently the only supplier offering a tool like this in this form. With this adapter, workshops can maintain almost any brake. The product number of the adjustable universal bleed nozzle adapter from KS Tools is 160.0718.

Ideal for brake maintenance

“Although the so-called euro adapter covers a lot of vehicles, until now there has been no bleed nozzle adapter available for working on many brakes made by Asian vehicle manufacturers in particular,” explain staff at KS Tools. The new universal connector head with sliding clamps is ideal for brake maintenance and can be installed directly on the expansion container. The universal adapters used as standard up to now do not create an airtight seal on these systems. The bleed nozzle adapter’s innovative clamping method ensures reliability and produces a perfectly airtight seal, both vertically and horizontally.

Easy to use

The new tool from KS Tools offers a major advantage over older adapters as, with older systems, the mechanic has to put a chain around the master cylinder, which is awkward and time-consuming. It is also a significant source of error. The new adapter can be adapted to a wide variety of vehicles quickly and easily, making working on the brakes simpler and more reliable.

The universal bleed nozzle adapter is quick and easy to use and its height and width can be adjusted flexibly. It is fitted with a special seal for brake fluid that prevents this hazardous substance from flowing out uncontrollably. An angled connection nipple enables the parts to be connected quickly and securely.

The tool is made entirely of steel, so it is extremely stable. It covers a width range of 28 to 70 mm, making it suitable for working on almost any car brakes.