

□ □ □ □ □ □ **200A**

□ □ □ □ 150.1745

EAN □ 4042146590904



- □□□□□□□□□□□□□□□□□□, □□□□□□□□
- □□□□□□ 0,01A □□ 200 A
- □□□□□□□□□□□□□□□□□□
- □□□□□□□□□□□□□□
- □□□□□□□□
- □□□□□□□□□□□□
- □□□□□□ 30,0 mm
- LCD □□
- □□□□□□□□□□□□□□
- □□□□□□□□
- □□
- □□ 2 x AA 1,5 V □□

- ☐ ☐ ☐
- ☐ ☐
- ☐ ☐ ☐ ☐ ☐ ☐ ☐
- ☐ ☐
- ☐ ☐ ☐ ☐ ☐
- ☐ ☐ ☐ ☐ ☐
- ☐ ☐ ☐ ☐
- ☐ ☐ ☐ ☐ ☐ ☐
- ☐ ☐ ☐ ☐ ☐ ☐

DC: 0,1 - 400
Material1: □□□□
 □□□□□: □□□
 □□□□□: □
 □□□□: 0,01 - 200 A
 □□□□: 0,1- 400
 □□□□: -10° □ +60° C (14° □ 140° F)
 □□□□ 1: □□□□
 □□□□: □
 □□□□□: □
 □□□□: 1
 □□□□ mm: 124
 □□□□ mm: 231
 □□□□ mm: 70
 □□□□□□: □
 □□□ mm: 42
 □□: -10° □ 50° C (14° □ 22° F)
 □□: □□
 □□ mm: 30
 □□□□□□: 23° C ± 5° C
 □□ (V): 1,5
 □□□□: □□
 □□□□: AA
 □□□□ [kg]: 0.023
 □□□□□□: □□ 02□16 - 30g□
 □□: 2x AA 1,5V
 □□□□: 40 - 400 □□
 □□: 0,01 - 200 A
 □□ g: 160
 □□ mm: 185
 □□: □□□
 □□□□□□: 2

