




performance 2000 kg

160.1045

EAN 4042146982099




□□

- □□□□□□□□□□□□□□□□□□□□
- 30 mm□
- □□□ 160.1060 □ 160.1065
- □□□□□□□□□□□□□□□□□□
- □□□□□□□□□□
- □□□□□□□□□□□□□□□□□□□□
-
- □□□□□□□□□□□□□□□□□□□□
-
- □□□□□□□□□□□□
- □□□ 700 – 925 mm
- □□□□□□□□□□
- □□□□□□□□□□

□□

- : 1
- mm: 130
- mm: 725
- mm: 140
- mm: 700 - 925
- kg: 2000
- mm: 120
- t: 2,0
- g: 11500
- mm: 710
- mm: 130



□ □								
□ □ □	□ □	□ □		□ □ □ □ □ □ □ □ □ □ □ □				
160.1045-R001P	1 x		□ □	□ □ □ □ □ □ □ □				
160.1045-R002P	8 x		□ □	□ □ □ □ □ □ □ □				
160.1045-R003P	2 x		□ □ □ □	□ □ □ □ □ □ □ □				

160.1045-R004P	2 x		□□□□	□□□□□□□□
160.1045-R005P	2 x		□□□	□□□□□□□□
160.1045-R006P	2 x		□□	□□□□□□□□
160.1045-R007P	2 x		□□	□□□□□□□□
160.1045-R008P	2 x		□□	□□□□□□□□
160.1045-R009P	1 x		□□	□□□□□□□□