



□□□□□□, -38°□ 520°C

□□□□ 150.3040

EAN□ 4042146150719

□□

- □□□□□□□□□□□□□□
- □□□□□□□, □□, □□, □□, □□□
-
- □□□□□□□□□□□□
- □□□□□
- □□□□□□□
- □□□□□
- □□ 2 □ AAA □□ 1,5 V
- □□□□□□□

□□□□ / □□□□ □□□□□□□□, □
□□□□□□, □□□□, □□□□, □□, □□
□□□□□□, □□□□, □□□□, □□□□□□
□□□□

□□

Material1: □□□□

□□□□□: □

□□: °C / °F

□□□□ 1: □□□□□□

□□□□□: □

□□□□□□: □

□□□□□: 1

□□□□ mm: 176

□□□□ mm: 292

□□□□ mm: 48

□□□□□□□: □

□□□□□: □□□ 0,95

□□: LCD □□□

□□□□□□□: 1mW

□□ (V): 1,5

□□□□□: □□

□□□□□: AAA

□□□□ [kg]: 0.011

□□□□□□□: □□ 01□□□□ 15g□

□□: 2 x 1,5V AAA □□

□□ g: 160

□□: -38°C - 520°C

□□: □□□

□□□□□□□: 2

□□□□□□□: 7,5 - 13,5 μm

