



□ □ □ □ □ 4 □ □ □ □

□ □ □ □ 960.1190

EAN □ 4042146400982

□ □

- □ □ □ □ □ □ 2 □
- □ □ □ □ □ □
- □ □ 6 □ □ □ □ □ □ □ □
- □ □ □ □ □ □ □ □ □ □ □ □
- □ □ 4 □ □ □ □ □ □ □ □
- □ □ □ □ 1: 200 - 300 l/min (□ □ 450°C)
- □ □ □ □ 2: 350 - 500 l/min (□ □ 650°C)
- □ □ □ □: 1≈50°C / 2≈100°C / 3≈200°C / 4≈350°C / 5≈550°C / 6≈650°C

□ □ □ □ / □ □ □ □ □ □ □ □, □ □ □ □, PVC
□ □, □ □ □ □ □ □, □ □, □ □ □ □

□ □

□ □ **W:** 2000 □
□ □ □ □: 1
□ □ □ □ **mm:** 269
□ □ □ □ **mm:** 264
□ □ □ □ **mm:** 88
□ □ **B:** 80
□ □ □ □: 220V-240V (50Hz)
□ □ □ □: 8 A
□ □ □ **L mm:** 260
□ □ □ □: 230
□ □ □ □: □ □ □ □ □ □ IP21 (02)
□ □ □ □ □ l/min: 500
□ □ □ □ □: 5
□ □ **g:** 1110
□ □: 50
□ □ **H:** 210



□ □

□ □ □

□ □

□ □

□ □ □ □ □ □
□ □ □ □ □ □

960.1191

1 x



□ □

□ □ □ □ □ □ □ □

960.1192

1 x



□ □ □ 75 mm

□ □ □ □ □ □ □ □

960.1193

1 x



□ □ □

□ □ □ □ □ □ □ □

960.1194

1 x



□ □ □ □ 45 mm

□ □ □ □ □ □ □ □

960.1195

1 x



□ □ □ □ 14 mm

□ □ □ □ □ □ □ □